

Kengo Nagashima

PROJECT ASSOCIATE PROFESSOR · BIOSTATISTICIAN

The Institute of Statistical Mathematics

10-3 Midori-cho, Tachikawa, Tokyo 190-8562, Japan.

☎+81-50-5533-8500 | ✉nshi@ism.ac.jp | 🌐nshi.jp/en/ | 📺[nshi-stat](https://www.youtube.com/channel/UCnsh1-1)

Research Interests

Biostatistics & Statistical Methodology: My (current) primary research interests are (1) Survival Analysis and Model Selection, (2) Meta-analysis and Inference for Random-effects Models, and (3) Model Misspecification. I am also interested in Biomarkers in Clinical Trials, Missing Data, Causal Inference, Semiparametric Models, Estimating Equations, Bayesian Inference, Inference for High-dimensional Data, Statistical Machine Learning, Genetic Epidemiology, Population Pharmacokinetics, Cancer Clinical Trials, Quasi-likelihood Method, and Quasi-Monte Carlo Integration.

Professional Positions

Research Center for Medical and Health Data Science, The Institute of Statistical Mathematics

PROJECT ASSOCIATE PROFESSOR

Tokyo, Japan

April 2018–present

Department of Global Clinical Research, Graduate School of Medicine, Chiba University

RESEARCH ASSISTANT PROFESSOR

Chiba, Japan

April 2015–March 2018

Clinical Research Center, Chiba University Hospital

RESEARCH ASSISTANT PROFESSOR

Chiba, Japan

April 2013–March 2015

Faculty of Pharmaceutical Sciences, Josai University

RESEARCH ASSOCIATE

Saitama, Japan

April 2008–March 2013

Education

Tokyo University of Science

PH.D. IN ENGINEERING

Tokyo, Japan

April 2010–March 2014

Dissertation: “Statistical screening methods for pharmacokinetics-related genes in genome-wide studies”

Tokyo University of Science

M.SC. IN ENGINEERING

Tokyo, Japan

April 2006–March 2008

Master’s Thesis: “A comparison of statistical methods for SNP association analysis under Hardy–Weinberg disequilibrium”

Tokyo University of Science

B.SC. IN ENGINEERING

Tokyo, Japan

April 2002–March 2006

Publications (Peer-Reviewed)

STATISTICAL METHODOLOGY

- 1 Nagashima K, Noma H, Furukawa TA. Prediction intervals for random-effects meta-analysis: a confidence distribution approach. *Statistical Methods in Medical Research* 2018. *In press*. DOI: [10.1177/0962280218773520](https://doi.org/10.1177/0962280218773520). [[arXiv:1804.01054](https://arxiv.org/abs/1804.01054)] [[Postprint](#)].
- 2 Noma H, Nagashima K, Maruo K, Gosho M, Furukawa TA. Bartlett-type corrections and bootstrap adjustments of likelihood-based inference methods for network meta-analysis. *Statistics in Medicine* 2018; **37**(7): 1178–1190. DOI: [10.1002/sim.7578](https://doi.org/10.1002/sim.7578).
- 3 Nagashima K, Sato Y. Information criteria for Firth's penalized partial likelihood approach in Cox regression models. *Statistics in Medicine* 2017; **36**(21): 3422–3436. DOI: [10.1002/sim.7368](https://doi.org/10.1002/sim.7368). [[Postprint](#)].
- 4 Noma H, Nagashima K. A note on the Mantel–Haenszel estimators when the common effect assumptions are violated. *Epidemiologic Methods* 2016; **5**(1): 19–35. DOI: [10.1515/em-2015-0004](https://doi.org/10.1515/em-2015-0004).
- 5 Nagashima K, Sato Y, Noma H, Hamada C. An efficient and robust method for analyzing population pharmacokinetic data in genome-wide pharmacogenomic studies: a generalized estimating equation approach. *Statistics in Medicine* 2013; **32**(27): 4838–4858. DOI: [10.1002/sim.5895](https://doi.org/10.1002/sim.5895). [[arXiv:1805.05017](https://arxiv.org/abs/1805.05017)]
- 6 Gosho M, Nagashima K, Sato Y. Study designs and statistical analyses for biomarker research. *Sensors* 2012; **12**(7): 8966–8986. DOI: [10.3390/s120708966](https://doi.org/10.3390/s120708966). (Review)
- 7 Nagashima K, Sato Y, Hamada C. A modified maximum contrast method for unequal sample sizes in pharmacogenomic studies. *Statistical Applications in Genetics and Molecular Biology* 2011; **10**(1): Article 41. DOI: [10.2202/1544-6115.1560](https://doi.org/10.2202/1544-6115.1560).
- 8 Sato Y, Laird NM, Nagashima K, Kato R, Hamano T, Yafune A, Kaniwa N, Saito Y, Sugiyama E, Kim S-R, Furuse J, Ishii H, Ueno H, Okusaka T, Saijo N, Sawada J-i, Yoshida T. A new statistical screening approach for finding pharmacokinetics-related genes in genome-wide studies. *The Pharmacogenomics Journal* 2009; **9**(2): 137–146. DOI: [10.1038/tpj.2008.17](https://doi.org/10.1038/tpj.2008.17).

APPLICATIONS IN BIostatISTICS

- 9 Gosho M, Sato Y, Nagashima K, Takahashi S. Trends in study design and the statistical methods employed in a leading general medicine journal. *Journal of Clinical Pharmacy and Therapeutics* 2018; **43**(1): 36–44. DOI: [10.1111/jcpt.12605](https://doi.org/10.1111/jcpt.12605).
- 10 Sato Y, Gosho M, Nagashima K, Takahashi S, Ware JH, Laird NM. Statistical methods in the *Journal* — an update. *New England Journal of Medicine* 2017; **376**(11):1086–1087. DOI: [10.1056/NEJMc1616211](https://doi.org/10.1056/NEJMc1616211). (Correspondence)

MEDICAL RESEARCHES

- 11 Hashimoto J, Kato K, Ito Y, Kojima T, Akimoto T, Daiko H, Hamamoto Y, Matsushita H, Katano S, Hara H, Tanaka Y, Saito Y, Nagashima K, Igaki H. Phase II feasibility study of preoperative concurrent chemoradiotherapy with cisplatin plus 5-fluorouracil and elective lymph node irradiation for clinical stage II/III esophageal squamous cell carcinoma. *International Journal of Clinical Oncology* 2018. *In press*. DOI: [10.1007/s10147-018-1336-x](https://doi.org/10.1007/s10147-018-1336-x).
- 12 Honma Y, Terauchi T, Tateishi U, Kano D, Nagashima K, Iwasa S, Takashima A, Kato K, Hamaguchi T, Boku N, Shimada Y, Yamada Y. Imaging peritoneal metastasis of gastric cancer with ¹⁸F-fluorothymidine positron emission tomography/computed tomography: a proof-of-concept study. *British Journal of Radiology* 2018; **91**(1089): 20180259. DOI: [10.1259/bjr.20180259](https://doi.org/10.1259/bjr.20180259).
- 13 Fujita M, Sato Y, Nagashima K, Takahashi S, Hata A. Medical costs attributable to overweight and obesity in Japanese individuals. *Obesity Research & Clinical Practice* 2018; **12**(5): 479–484. DOI: [10.1016/j.orcp.2018.06.002](https://doi.org/10.1016/j.orcp.2018.06.002).
- 14 Nishi T, Kitahara H, Fujimoto Y, Nakayama T, Nagashima K, Hanaoka H, Kobayashi Y. Intravenous nicorandil versus adenosine for fractional flow reserve measurement: A crossover, randomized study. *Heart and Vessels* 2018. *In press*. DOI: [10.1007/s00380-018-1197-2](https://doi.org/10.1007/s00380-018-1197-2).

- Misawa S, Kuwabara S, Sato Y, Yamaguchi N, Nagashima K, Katayama K, Sekiguchi Y, Iwai Y, Amino H, Suichi T, Yokota T, Nishida Y, Kanouchi T, Kohara N, Kawamoto M, Ishii J, Kuwahara M, Suzuki H, Hirata K, Kokubun N, Masuda R, Kaneko J, Yabe I, Sasaki H, Kaida K-i, Takazaki H, Suzuki N, Suzuki S, Nodera H, Matsui N, Tsuji S, Koike H, Yamasaki R, Kusunoki S, for the Japanese Eculizumab Trial for GBS (JET-GBS) Study Group. Safety and efficacy of eculizumab in Guillain-Barré syndrome: a multicentre, double-blind, randomised phase 2 trial. *The Lancet Neurology* 2018; **17**(6): 519–529. DOI: [10.1016/S1474-4422\(18\)30114-5](https://doi.org/10.1016/S1474-4422(18)30114-5).
- Fujita M, Sugiyama M, Sato Y, Nagashima K, Takahashi S, Mizogami M, Hata A. Hepatitis B virus reactivation in patients with rheumatoid arthritis: Analysis of the National Database of Japan. *Journal of Viral Hepatitis* 2018. *In press*. DOI: [10.1111/jvh.12933](https://doi.org/10.1111/jvh.12933).
- Matsumura T, Terada J, Kinoshita T, Sakurai Y, Yahaba M, Tsushima K, Sakao S, Nagashima K, Ozaki T, Kobayashi Y, Hiwasa T, Tatsumi K. Circulating autoantibodies against neuroblastoma suppressor of tumorigenicity 1 (NBL1): a potential biomarker for coronary artery disease in patients with obstructive sleep apnea. *PLoS ONE* 2018; **13**(3): e0195015. DOI: [10.1371/journal.pone.0195015](https://doi.org/10.1371/journal.pone.0195015).
- Yamaguchi T, Kato K, Nagashima K, Iwasa S, Honma Y, Takashima A, Hamaguchi T, Ito Y, Itami J, Boku N, Higuchi K. Type of second primary malignancy after achieving complete response by definitive chemoradiation therapy in patients with esophageal squamous cell carcinoma. *International Journal of Clinical Oncology* 2018; **23**(4): 652–658. DOI: [10.1007/s10147-018-1258-7](https://doi.org/10.1007/s10147-018-1258-7).
- Watanabe K, Hirano S, Kojima K, Nagashima K, Mukai H, Sato T, Takemoto M, Matsumoto K, Iimori T, Iose S, Omori S, Shibuya K, Sekiguchi Y, Beppu M, Amino H, Suichi T, Yokote K, Uno T, Kuwabara S, Misawa S. Altered cerebral blood flow in the anterior cingulate cortex is associated with neuropathic pain. *Journal of Neurology, Neurosurgery, and Psychiatry* 2018. *In press*. DOI: [10.1136/jnnp-2017-316601](https://doi.org/10.1136/jnnp-2017-316601).
- Kotooka N, Kitakaze M, Nagashima K, Asaka M, Kinugasa Y, Nochioka K, Mizuno A, Nagatomo D, Mine D, Yamada Y, Kuratomi A, Okada N, Fujimatsu D, Kuwahata S, Toyoda S, Hirotsu S-i, Komori T, Eguchi K, Kario K, Inomata T, Sugi K, Yamamoto K, Tsutsui H, Masuyama T, Shimokawa H, Momomura S-i, Seino Y, Sato Y, Inoue T, Node K, On behalf of the HOMES-HF study investigators. The first multicenter, randomized, controlled trial of home telemonitoring for Japanese patients with heart failure: home telemonitoring study for patients with heart failure (HOMES-HF). *Heart and Vessels* 2018; **33**(8): 866–876. DOI: [10.1007/s00380-018-1133-5](https://doi.org/10.1007/s00380-018-1133-5).
- Inagaki T, Terada J, Yahaba M, Kawata N, Jujo T, Nagashima K, Sakao S, Tanabe N, Tatsumi K. Heart rate and oxygen saturation change patterns during a 6-min walk test in subjects with chronic thromboembolic pulmonary hypertension. *Respiratory Care* 2018; **63**(5): 573–583. DOI: [10.4187/respcare.05788](https://doi.org/10.4187/respcare.05788)
- Sasaki Y, Iwasa S, Okazaki S, Goto M, Kojima Y, Naganuma A, Nagashima K, Nagai Y, Hirano H, Honma Y, Takashima A, Kato K, Hamaguchi T. A phase II study of combination therapy with oral S-1 and cisplatin in elderly patients with advanced gastric cancer. *Gastric Cancer* 2018; **21**(3): 439–445. DOI: [10.1007/s10120-017-0753-2](https://doi.org/10.1007/s10120-017-0753-2).
- Yanai T, Iwasa S, Hashimoto H, Ohyanagi F, Takiguchi T, Takeda K, Nakao M, Sakai H, Nakayama T, Minato K, Arai T, Suzuki K, Shimada Y, Nagashima K, Terakado H, Yamamoto N. A double-blind randomized phase II dose-finding study of olanzapine 10 mg or 5 mg for the prophylaxis of emesis induced by highly emetogenic cisplatin-based chemotherapy. *International Journal of Clinical Oncology* 2018; **23**(2): 382–388. DOI: [10.1007/s10147-017-1200-4](https://doi.org/10.1007/s10147-017-1200-4)
- Kinoshita T, Yahaba M, Terada J, Matsumura T, Sakurai Y, Nagashima K, Sakao S, Tatsumi K. Impact of arterial stiffness on WatchPAT variables in patients with obstructive sleep apnea. *Journal of Clinical Sleep Medicine* 2018; **14**(3): 319–325. DOI: [10.5664/jcsm.6970](https://doi.org/10.5664/jcsm.6970).
- Korematsu S, Nagashima K, Sato Y, Nagao M, Hasegawa S, Nakamura H, Sugiura S, Miura K, Okada K, Fujisawa T. “Spike” in acute asthma exacerbations during enterovirus D68 epidemic in Japan: A nation-wide survey. *Allergology International* 2018; **67**(1): 55–60. DOI: [10.1016/j.alit.2017.04.003](https://doi.org/10.1016/j.alit.2017.04.003).

- lizumi S, Takashima A, Narita Y, Tajika M, Muro K, Kawai S, Yasui H, Matsushima T, Takahari D, Nagashima K, Boku N. Efficacy and safety of taxane-monootherapy in advanced gastric cancer refractory to triplet chemotherapy with docetaxel, cisplatin, and S-1: a multicenter retrospective study. *Cancer Chemotherapy and Pharmacology* 2017; **80**(3): 575–582. DOI: [10.1007/s00280-017-3397-3](https://doi.org/10.1007/s00280-017-3397-3).
- Shiraishi H, Fujiwara Y, Kakuya T, Tsuta K, Motoi N, Miura N, Watabe Y, Watanabe S-i, Noro R, Nagashima K, Huang W, Yamada T, Asamura H, Ohe Y, Honda K. Actinin-4 protein overexpression as a predictive biomarker in adjuvant chemotherapy for resected lung adenocarcinoma. *Biomarkers in Medicine* 2017; **11**(9): 721–731. DOI: [10.2217/bmm-2017-0150](https://doi.org/10.2217/bmm-2017-0150).
- Honma Y, Hokamura N, Nagashima K, Sudo K, Shoji H, Iwasa S, Takashima A, Kato K, Hamaguchi T, Boku N, Ito Y, Itami J, Koyanagi K, Igaki H, Tachimori Y. Clinical outcomes of resectable esophageal cancer with supraclavicular lymph node metastases treated with curative intent. *Anticancer Research* 2017; **37**(7): 3741–3749. DOI: [10.21873/anticancer.11748](https://doi.org/10.21873/anticancer.11748).
- Nishide A, Fujita M, Sato Y, Nagashima K, Takahashi S, Hata A. Income-related inequalities in access to dental care services in Japan. *International Journal of Environmental Research and Public Health* 2017; **14**(5): 524. DOI: [10.3390/ijerph14050524](https://doi.org/10.3390/ijerph14050524).
- Shoji H, Heike Y, Tada K, Kitano S, Nishimura T, Shimada Y, Nagashima K, Aoki K, Hiraoka N, Honma Y, Iwasa S, Takashima A, Kato K, Boku N, Honda K, Yamada T, Hamaguchi T. The peripheral immune status of granulocytic myeloid-derived suppressor cells correlates the survival in advanced gastric cancer patients receiving cisplatin-based chemotherapy. *Oncotarget* 2017; **8**(56): 95083–95094. DOI: [10.18632/oncotarget.18297](https://doi.org/10.18632/oncotarget.18297).
- Fujita M, Sato Y, Nagashima K, Takahashi S, Hata A. Impact of geographic accessibility on utilization of the annual health check-ups by income level in Japan: A multilevel analysis. *PLoS ONE* 2017; **12**(5): e0177091. DOI: [10.1371/journal.pone.0177091](https://doi.org/10.1371/journal.pone.0177091).
- Nomura K, Kido M, Tanabe A, Nagashima K, Takenoshita S, Ando K. Investigation of optimal weight gain during pregnancy for Japanese Women. *Scientific Reports* 2017; **7**(1): 2569. DOI: [0.1038/s41598-017-02863-1](https://doi.org/10.1038/s41598-017-02863-1).
- Matsumura T, Terada J, Kinoshita T, Sakurai Y, Yahaba M, Ema R, Amata A, Sakao S, Nagashima K, Tatsumi K, Hiwasa T. Circulating anti-coatomer protein complex subunit epsilon (COPE) autoantibodies as a potential biomarker for cardio- and cerebro-vascular events in patients with obstructive sleep apnea. *Journal of Clinical Sleep Medicine* 2017; **13**(3): 393–400. DOI: [10.5664/jcsm.6488](https://doi.org/10.5664/jcsm.6488).
- Koshizaka M, Ishikawa K, Ishikawa T, Kobayashi K, Takemoto M, Horikoshi T, Shimousa R, Takahashi S, Nagashima K, Sato Y, Tatsuno I, Terano T, Hashimoto N, Kuribayashi N, Uchida D, Yokote K, on behalf of the PRIME-V Study Investigators. Efficacy and safety of ipragliflozin and metformin for visceral fat reduction in type 2 diabetes patients receiving treatment with dipeptidyl peptidase-4 inhibitors in Japan: A study protocol for a prospective, multicenter, blinded-endpoint phase IV randomized controlled trial (PRIME-V study). *BMJ Open* 2017; **7**(5): e015766. DOI: [10.1136/bmjopen-2016-015766](https://doi.org/10.1136/bmjopen-2016-015766).
- Nishimura T, Iwasa S, Nagashima K, Okita N, Takashima A, Honma Y, Kato K, Hamaguchi T, Yamada Y, Shimada Y, Boku N. Irinotecan monootherapy as third-line treatment for advanced gastric cancer refractory to fluoropyrimidines, platinum, and taxanes. *Gastric Cancer* 2017; **20**(4): 655–662. DOI: [10.1007/s10120-016-0670-9](https://doi.org/10.1007/s10120-016-0670-9).
- Yamamoto Y, Yamaguchi S, Sasho T, Fukawa T, Akatsu Y, Akagi R, Yamaguchi T, Takahashi K, Nagashima K, Takahashi K. Quantitative US elastography can quantify mechanical and histological tendon healing in a rabbit model of achilles tendon transection. *Radiology* 2017; **283**(2): 408–417. DOI: [10.1148/radiol.2016160695](https://doi.org/10.1148/radiol.2016160695).
- Yamaguchi N, Misawa S, Sato Y, Nagashima K, Katayama K, Sekiguchi Y, Iwai Y, Amino H, Suichi T, Yokota T, Nishida Y, Kohara N, Hirata K, Nishiyama K, Yabe I, Kaida K-I, Suzuki N, Nodera H, Tsuji S, Koike H, Kira J-I, Hanaoka H, Kusunoki S, Kuwabara S, JET-GBS Group. A prospective, multi-center, randomized phase II study to evaluate the efficacy and safety of eculizumab in patients with Guillain-Barré syndrome (GBS): Japanese Eculizumab Trial for GBS (JET-GBS). *JMIR Research Protocols* 2016; **5**(4): e210. DOI: [10.2196/resprot.6610](https://doi.org/10.2196/resprot.6610).

- 38 Nishi T, Kitahara H, Fujimoto Y, Nakayama T, Sugimoto K, Nagashima K, Hanaoka H, Kobayashi Y. Efficacy of intravenous nicorandil for fractional flow reserve assessment: Study protocol for a crossover randomised trial. *BMJ Open* 2016; **6**(11): e012737. DOI: [10.1136/bmjopen-2016-012737](https://doi.org/10.1136/bmjopen-2016-012737).
- 39 Misawa S, Sato Y, Katayama K, Nagashima K, Aoyagi R, Sekiguchi Y, Sobue G, Koike H, Yabe I, Sasaki H, Watanabe O, Takashima H, Nishizawa M, Kawachi I, Kusunoki S, Mitsui Y, Kikuchi S, Nakashima I, Ikeda S-i, Kohara N, Kanda T, Kira J-i, Hanaoka H, Kuwabara S, for the Japanese POEMS Syndrome for Thalidomide (J-POST) Trial Study Group. Safety and efficacy of thalidomide in patients with POEMS syndrome: a multicentre, randomised, double-blind, placebo-controlled trial. *The Lancet Neurology* 2016; **15**(11): 1129–1137. DOI: [10.1016/S1474-4422\(16\)30157-0](https://doi.org/10.1016/S1474-4422(16)30157-0).
- 40 Tada K, Kitano S, Shoji H, Nishimura T, Shimada Y, Nagashima K, Aoki K, Hiraoka N, Honma Y, Iwasa S, Okita N, Takashima A, Kato K, Yamada Y, Katayama N, Boku N, Heike Y, Hamaguchi T. Pretreatment immune status correlates with progression-free survival in chemotherapy-treated metastatic colorectal cancer patients. *Cancer Immunology Research* 2016; **4**(7): 592–599. DOI: [10.1158/2326-6066.CIR-15-0298](https://doi.org/10.1158/2326-6066.CIR-15-0298).
- 41 Sasaki Y, Akasu T, Saito N, Kojima H, Matsuda K, Nakamori S, Komori K, Amagai K, Yamaguchi T, Ohue M, Nagashima K, Yamada Y. Prognostic and predictive value of extended RAS mutation and mismatch repair status in stage III colorectal cancer. *Cancer Science* 2016; **107**(7):1006–1012. DOI: [10.1111/cas.12950](https://doi.org/10.1111/cas.12950).
- 42 Tanemura N, Uyama Y, Nagashima K, Suzuki T, Asahina Y, Kobayashi Y, Iyo M, Yokote K, Hanaoka H. Comparison of drug use between clinical practice and regulatory approval: results in older Japanese patients with rheumatoid arthritis, diabetes, high blood pressure, or depression. *Therapeutic Innovation & Regulatory Science* 2016; **5**(6): 743–750. DOI: [10.1177/2168479016648731](https://doi.org/10.1177/2168479016648731).
- 43 Yamaguchi T, Iwasa S, Nagashima K, Ikezawa N, Hamaguchi T, Shoji H, Honma Y, Takashima A, Okita N, Kato K, Yamada Y, Shimada Y. Comparison of panitumumab plus irinotecan and cetuximab plus irinotecan for KRAS wild-type metastatic colorectal cancer. *Anticancer Research* 2016; **36**(7): 3531–3536. URL: <http://ar.iiarjournals.org/content/36/7/3531>.
- 44 Fujita M, Sato Y, Nagashima K, Takahashi S, Hata A. Income related inequality of health care access in Japan: A retrospective cohort study. *PLoS ONE* 2016; **11**(3): e0151690. DOI: [10.1371/journal.pone.0151690](https://doi.org/10.1371/journal.pone.0151690).
- 45 Tawada A, Chiba T, Saito T, Ogasawara S, Suzuki E, Ooka Y, Arai M, Kanda T, Shinozaki M, Goto N, Nagashima K, Yokosuka O. Utility of prediction scores for hepatocellular carcinoma in patients with chronic hepatitis B treated with nucleos(t)ide analogues. *Oncology* 2016; **90**(4): 199–208. DOI: [10.1159/000444392](https://doi.org/10.1159/000444392).
- 46 Yamamoto Y, Yamaguchi S, Sasho T, Fukawa T, Akatsu Y, Nagashima K, Takahashi K. Quantitative ultrasound elastography with an acoustic coupler for achilles tendon elasticity: measurement repeatability and normative values. *Journal of Ultrasound in Medicine* 2016; **35**(1): 159–166. DOI: [10.7863/ultra.14.11042](https://doi.org/10.7863/ultra.14.11042).
- 47 Naito S, Tanaka J, Nagashima K, Chang B, Hishiki H, Takahashi Y, Oikawa J, Nagasawa K, Shimojo N, Ishiwada N. The impact of heptavalent pneumococcal conjugate vaccine on the incidence of childhood community-acquired pneumonia and bacteriologically confirmed pneumococcal pneumonia in Japan. *Epidemiology and Infection* 2016; **144**(3): 494–506. DOI: [10.1017/S0950268815001272](https://doi.org/10.1017/S0950268815001272).
- 48 Aoyagi R, Hamada H, Sato Y, Suzuki H, Onouchi Y, Ebata R, Nagashima K, Terauchi M, Terai M, Hanaoka H, Hata A, on behalf of the KAICA Trial investigators. Study protocol for a phase III multi-centre, randomized, open-label, blinded-endpoint trial to evaluate the efficacy and safety of immunoglobulin plus Cyclosporin A in patients with severe Kawasaki disease (KAICA Trial). *BMJ Open* 2015; **5**(12): e009562. DOI: [10.1136/bmjopen-2015-009562](https://doi.org/10.1136/bmjopen-2015-009562).
- 49 Fujita M, Sato Y, Nagashima K, Takahashi S, Hata A. Validity assessment of self-reported medication use by comparing to pharmacy insurance claims. *BMJ Open* 2015; **5**(11): e009490. DOI: [10.1136/bmjopen-2015-009490](https://doi.org/10.1136/bmjopen-2015-009490).

- Iwasa S, Nagashima K, Yamaguchi T, Matsumoto H, Ichikawa Y, Goto A, Yasui H, Kato K, Okita N, Shimada Y, Yamada Y. S-1 and irinotecan with or without bevacizumab versus 5-fluorouracil and leucovorin plus oxaliplatin with or without bevacizumab in metastatic colorectal cancer: a pooled analysis of four phase II studies. *Cancer Chemotherapy and Pharmacology* 2015; **76**(3): 605–614. DOI: [10.1007/s00280-015-2834-4](https://doi.org/10.1007/s00280-015-2834-4).
- Fujita M, Sato Y, Nagashima K, Takahashi S, Hata A. Predictive power of a body shape index for development of diabetes, hypertension, and dyslipidemia in Japanese adults: a retrospective cohort study. *PLoS ONE* 2015; **10**(6): e0128972. DOI: [10.1371/journal.pone.0128972](https://doi.org/10.1371/journal.pone.0128972).
- Utsumi H, Honma Y, Nagashima K, Iwasa S, Takashima A, Kato K, Hamaguchi T, Yamada Y, Shimada Y, Kishi Y, Nara S, Esaki M, Shimada K. Bevacizumab and postoperative wound complications in patients with liver metastases of colorectal cancer. *Anticancer Research* 2015; **35**(4): 2255–2261. URL: <http://ar.iijournals.org/content/35/4/2255>.
- Takahashi N, Yamada Y, Furuta K, Nagashima K, Kubo A, Sasaki Y, Shoji H, Honma Y, Iwasa S, Okita N, Takashima A, Kato K, Hamaguchi T, Shimada Y. Association between serum ligands and the skin toxicity of anti-epidermal growth factor receptor antibody in metastatic colorectal cancer. *Cancer Science* 2015; **106**(5): 604–610. DOI: [10.1111/cas.12642](https://doi.org/10.1111/cas.12642).
- Nagashima K, Yanai T, Iwasa S, Ohyanagi F, Kasai T, Minato K, Sakai H, Sakamoto C, Takeda K, Harada D, Goto K, Yamamoto N. A double-blind randomized phase II study of olanzapine 10 mg versus 5 mg for highly emetogenic chemotherapy-induced emesis. *Japanese Journal of Clinical Oncology* 2015; **75**(2): 229–231. DOI: [10.1093/jjco/hyu191](https://doi.org/10.1093/jjco/hyu191).
- Shirakawa T, Kato K, Nagashima K, Nishikawa A, Sawada R, Takahashi N, Shoji H, Sasaki Y, Honma Y, Iwasa S, Takashima A, Okita N, Hamaguchi T, Yamada Y, Shimada Y. A retrospective study of docetaxel or paclitaxel in patients with advanced or recurrent esophageal squamous cell carcinoma who previously received fluoropyrimidine- and platinum-based chemotherapy. *Cancer Chemotherapy and Pharmacology* 2014; **74**(6): 1207–1215. DOI: [10.1007/s00280-014-2597-3](https://doi.org/10.1007/s00280-014-2597-3).
- Shoji H, Yamada Y, Taniguchi H, Nagashima K, Okita N, Takashima S, Honma Y, Iwasa S, Kato K, Hamaguchi T, Shimada Y. Clinical impact of c-MET expression and genetic mutational status in colorectal cancer patients after liver resection. *Cancer Science* 2014; **105**(8): 1002–1007. DOI: [10.1111/cas.12453](https://doi.org/10.1111/cas.12453).
- Iwasa S, Nakajima TE, Nagashima K, Honma Y, Kato K, Hamaguchi T, Yamada Y, Shimada Y. Lack of association of proteinuria and clinical outcome in patients treated with bevacizumab for metastatic colorectal cancer. *Anticancer Research* 2013; **33**(1): 309–316. URL: <http://ar.iijournals.org/content/33/1/309>.
- Horita Y, Yamada Y, Kato K, Hirashima Y, Akiyoshi K, Nagashima K, Nakajima TE, Hamaguchi T, Shimada Y. Phase II clinical trial of second-line FOLFIRI plus bevacizumab for patients with metastatic colorectal cancer: AVASIRI trial. *International Journal of Clinical Oncology* 2012; **17**(6): 604–609. DOI: [10.1007/s10147-011-0331-2](https://doi.org/10.1007/s10147-011-0331-2).
- Okita NT, Esaki T, Baba E, Sakai D, Tokunaga S, Takiuchi H, Mizunuma N, Nagashima K, Kato K. A multicenter phase II study of the stop-and-go modified FOLFOX6 with bevacizumab for first-line treatment of patients with metastatic colorectal cancer. *Investigational New Drugs* 2012; **30**(5): 2026–2031. DOI: [10.1007/s10637-011-9779-1](https://doi.org/10.1007/s10637-011-9779-1).
- Fujie H, Niu K, Ohba M, Tomioka Y, Kitazawa H, Nagashima K, Ohru T, Numasaki M. A distinct regulatory role of Th17 cytokines IL-17A and IL-17F in chemokine secretion from lung microvascular endothelial cells. *Inflammation* 2012; **35**(3): 1119–1131. DOI: [10.1007/s10753-011-9419-0](https://doi.org/10.1007/s10753-011-9419-0).
- Nakajima TE, Yoshida H, Okamoto N, Nagashima K, Taniguchi H, Yamada Y, Shimoda T, Masutomi K. Nucleostemin and TWIST as predictive markers for recurrence after neoadjuvant chemotherapy for esophageal carcinoma. *Cancer Science* 2012; **103**(2): 233–238. DOI: [10.1111/j.1349-7006.2011.02142.x](https://doi.org/10.1111/j.1349-7006.2011.02142.x).
- Tanai C, Nakajima TE, Nagashima K, Kato K, Hamaguchi T, Yamada Y, Muro K, Shirao K, Kunitoh H, Matsumura Y, Yamamoto S, Shimada Y. Characteristics and outcomes of patients with advanced gastric cancer who declined to participate in a randomized clinical chemotherapy trial. *Journal of Oncology Practice* 2011; **7**(3): 148–153. DOI: [10.1200/JOP.2010.000106](https://doi.org/10.1200/JOP.2010.000106).

Hashimoto K, Takashima A, Nagashima K, Okazaki S, Nakajima TE, Kato K, Hamaguchi T, Yamada Y, Shimada Y. Progression-free survival in first-line chemotherapy is a prognostic factor in second-line chemotherapy in patients with advanced gastric cancer. *Journal of Cancer Research and Clinical Oncology* 2010; **136**(7): 1059–1064. DOI: [10.1007/s00432-009-0752-8](https://doi.org/10.1007/s00432-009-0752-8).

Funding History

Practical research of blood biomarkers for predicting effects of postoperative adjuvant chemotherapies by metastatic activity analysis of non-small cell lung cancer

Co-I

JAPAN AGENCY FOR MEDICAL RESEARCH AND DEVELOPMENT, PRACTICAL RESEARCH FOR INNOVATIVE CANCER CONTROL

April 2017–March 2020

Developing an early-detection and risk-stratification biomarkers for cancer by analyzing post-translational modifications to proteins and peptides

Co-I

JAPAN AGENCY FOR MEDICAL RESEARCH AND DEVELOPMENT, PROJECT FOR CANCER RESEARCH AND THERAPEUTIC EVOLUTION (P-CREATE)

April 2017–March 2019

Evaluation study for efficacy and safety of drug therapy based on sex differences

Co-I

JAPAN AGENCY FOR MEDICAL RESEARCH AND DEVELOPMENT, PROJECT FOR WHOLE IMPLEMENTATION TO SUPPORT AND ENSURE THE FEMALE LIFE—WISE

November 2016–March 2019

Development of efficient screening method for early detection and risk stratification of pancreatic cancer

Co-I

JAPAN AGENCY FOR MEDICAL RESEARCH AND DEVELOPMENT, PRACTICAL RESEARCH FOR INNOVATIVE CANCER CONTROL

September 2016–March 2017

Statistical inference for rare event data and its application in clinical researches

PI

JAPAN SOCIETY FOR THE PROMOTION OF SCIENCE (JSPS) KAKENHI, GRANT-IN-AID FOR YOUNG SCIENTISTS (B)
Grant number: 16K16014

April 2016–March 2019

Teaching History

Linear statistical inference

2 credits

GRADUATE SCHOOL OF ENGINEERING, TOKYO UNIVERSITY OF SCIENCE

Spring 2016–present

Professional Activities

PROFESSIONAL AFFILIATIONS

American Statistical Association

MEMBER

2011–present

The International Biometric Society

MEMBER

2008–present

JOURNAL REVIEWER

Statistics Journal

STATISTICAL APPLICATIONS IN GENETICS AND MOLECULAR BIOLOGY, JAPANESE JOURNAL OF STATISTICS AND DATA SCIENCE, BEHAVIORMETRIKA

Medical Journal

PLOS ONE, NANOMEDICINE, JOURNAL OF CLINICAL PHARMACY AND THERAPEUTICS

Softwares

pimeta Package

R PACKAGE: PREDICTION INTERVAL FOR RANDOM-EFFECTS META-ANALYSIS; CRAN TASK VIEW: METAANALYSIS

2017

<https://cran.r-project.org/package=pimeta>

ph2bayes Package

R PACKAGE: BAYESIAN SINGLE-ARM PHASE II DESIGNS; CRAN TASK VIEW: EXPERIMENTALDESIGN

2016

<https://cran.r-project.org/package=ph2bayes>

%skmdata

SAS MACRO: A SAS MACRO FOR THE KAPLAN-MEIER PLOT WITH SGPLOT PROCEDURE

2015

<https://github.com/nshi-stat/skmdata>

RcmdrPlugin.KMggplot2 Package

R PACKAGE: GGPLOT2 GUI FRONTEND, R COMMANDER PLUG-IN FOR DATA VISUALIZATION WITH 'GGPLOT2'

2012

<https://cran.r-project.org/package=RcmdrPlugin.KMggplot2>

mmcm Package

R PACKAGE: MODIFIED MAXIMUM CONTRAST METHOD (NAGASHIMA K, ET AL. SAGMB 2011)

2009

<https://cran.r-project.org/package=mmcm>